



— NEVADA LT PRISM 3X24 BALLISTIC

ALP71324LT



— Shockproof
Up to 1000G



— Multi-Coated Lenses



— Fogproof



— Nitrogen Purged



ALPEN OPTICS Nevada LT Prism 3x24 with Red Dot



PRODUCT INFORMATION

- High-quality prism sight with red dot
- Precise 3 MOA red dot for a good view of the target
- Fixed 3x magnification and 24 mm lens diameter
- Robust housing made from 6061 aluminum
- High-quality multi-coating
- Reticle adjustment in MRAD
- Reticle illumination adjustable in 14 levels
- Automatic standby function for energy and time savings
- Fog-free and shock-resistant

ABSOLUTELY WEATHER- AND SHOCK-RESISTANT



Even in adverse weather conditions, you keep your target firmly in sight with the high-quality ALPEN OPTICS prism sight. Heavy rain, snow, fog, or even a brief submersion in a stream do not affect the optics, which are waterproof up to 1 m (IPX7). The sturdy housing made of 6061 aluminium keeps liquids reliably away from the interior. For your perfect view even in extremely fluctuating temperatures, the prism sight is also filled with nitrogen. This prevents the lenses from fogging up from the inside. Of course, the ALPEN OPTICS Nevada LT Prism 3x24 is shock-proof up to 1,000 g Magnum calibre.

INNOVATIVE DYNAMICDOT TECHNOLOGY

The innovative DynamicDot Technology saves battery life by using a motion sensor, making the prism optics quickly ready for operation. The illuminated reticle automatically turns on as soon as you move the rifle and bring it into position. If it then remains motionless for 5 minutes, the illuminated reticle turns off again. This means your prism sight is quickly ready for use, saving not only power but also valuable time.



ROBUST HOUSING




Our rifle scopes are equipped with a robust housing made of T6 6061 aluminum. This material offers an excellent balance between durability and lightness, making it ideal for use in demanding environments. The T6 6061 aluminum housing is known for its high strength and resistance to external influences such as shocks, vibrations and extreme temperatures. This makes our riflescopes not only reliable, but also suitable for long-term use in various conditions.

THE COATING



Another highlight of the riflescope is the innovative and premium coating, which produces clear and razor-sharp images.

BALLISTIC RETICLE



Our prism optics are equipped with an advanced ballistic reticle that enables precise shot placement over various distances up to 500 metres. Thanks to special markings and lines in the reticle for .223 Rem and .308 Win calibres, corrections can be made quickly and accurately for a safe shot without losing the aiming line. This precisely calibrated reticle offers a decisive advantage for hunting or sport shooting.



— DELUXE WARRANTY

Good prospects for frequent observers - with ALPEN's extended guarantee - [More information](#)

— ALPEN
Deluxe Warranty



— IMPRESSIVELY BRIGHT IMAGES

— Multi-Coated Lenses



— WATERTIGHT DESIGN

Thanks to the waterproof housing that prevents liquids from reaching the inside of the optics, you don't need to worry about heavy rain or dropping the binoculars in a puddle.

— Waterproof



— WATERPROOF DESIGN

The housing features a splashproof design, which protects the optics during rain and adverse weather.

— Splashguard



— LIGHTWEIGHT DESIGN

Easy to carry – the optics feature a lightweight design so that you can view animals and landscapes without carrying heavy equipment.

— Lightweight

Mg

— Magnesium Housing

— LIGHTWEIGHT DESIGN

The optics are enclosed by a premium aluminium housing, which provides optimal protection and keeps the weight low.



— Fogproof

— WEATHERPROOF DESIGN

The binoculars are filled with nitrogen, which prevents the inside of the lenses from fogging up and obstructing your view during abrupt changes in temperature.



— Shootproof
Up to 1000G

— PREMIUM RECOIL-RESISTANT OPTICS

This premium riflescope can withstand recoil forces of up to 1000 grams, equivalent to a Magnum caliber.



— DynamicDot-
Technology

— INNOVATIVE DYNAMICDOT TECHNOLOGY

The motion sensor switches to standby mode after 2 minutes and immediately reactivates upon the slightest movement. After 24 hours in standby mode without any movement, it turns off completely.

TECHNICAL DATA

Field of application	Driven & hide hunting
Magnification	3 x
Field of view m / 100 m	128 m
Light intensity	64
Twilight factor	8,49
Close up from	2,5 m
Reticle	Red dot
Reticle adjustment / per click / 100 m	MRAD 0,1
Red Dot	Day & night hunting suitable, 14 levels
DynamicDot Technology	Yes
Waterproof	Yes, 1 m / 30 min

Adjustment range height adjustment clicks	290
Adjustment range side adjustment clickss	290
Gas-filled	Yes
Interpupillary distance (mm)	69 mm
Temperature range	-30° C ~ 50° C
Tube length	76 mm
Dimensions (L x W x H)	92 x 49 x 70 mm
Weight	288 g