

**VECTOR OPTICS**

**Paragon 3x18 Ultra Compact Magnifier  
& Scrapper 1x25 Gen II Red Dot Sight  
SCMF-33 + SCRD-46**



**SCMF-33**



**SCRD-46**

# Features

- **Micro Size and Lightweight Design:** Compact and easy to handle for various applications.
- **Flip-to-Side QD Mount:** Quick transitions between magnified and non-magnified views.
- **Long Eye Relief:** 66mm (2.6") eye relief for comfortable viewing.
- **Crystal Clear Optics:** High-quality glass for superior clarity and accuracy.
- **IP67 Waterproof Rating:** Reliable performance in any weather condition.
- **50,000+ Hours Battery Runtime:** Extended usage with motion sensor for power efficiency.
- **Parallax-Free Red Dot:** Direct bulb design with no flicker for precise aiming.
- **Wide Field of View:** 7.4° angle for comprehensive target acquisition.
- **Adjustable Windage & Elevation:** Easy zeroing for improved targeting.
- **Multiple Mounting Options:** Includes low and riser Picatinny Weaver mounts for versatility.

# Specifications

## SCMF-33



- Magnification: 3x
- Objective Lens Dia: 18mm
- Exit Pupil: 6.0mm / 0.24in
- Length: 70mm (2.75in)
- Height: 36mm (1.4 inch, from the base to the optics center)
- Weight (net): 215g (7.6oz)
- Eye Relief: 67mm (2.6 Inch)
- Field of View: 7.4°
- Optics Coating: Fully multi coated
- Shock proof that is designed for real fire caliber
- Windage and elevation can be adjusted
- Aluminum alloy 6061-T6 in black matte body
- Flip-to-Side QD picatinny mount
- Fast focus eyepiece at ocular lens adjustment from -2 to 2
- IP67 water proof in 1 meter depth water for 30 minutes

# Specifications

## SCRD-46



- Eye Relief: Free
- Optics Coating: Multi-coated
- Parallax: <1MOA @ 100 yards
- Parallax Setting: 100 yards
- Elevation Range: >45MOA
- Windage Range: >45MOA
- Dot Size: 3MOA
- Dot Intensity: 8 levels + 2 NV levels
- Working Temperature: -20~+50°C
- Material: Aluminum alloy
- Battery Type: CR2032
- Runtime: >50,000 hour weakest visible dot
- Finish: Black matte
- Mounting: Weaver & picatinny
- For close-in work and all application tactics, hunting & sporting
- Motion sensor, 2 minutes auto shut-off, smart awake feature even when slightly moving
- IPX6 water proof (1 meter 30 minutes), shock proof to 800G 500 circles
- Weaver mount made of aluminum alloy 6061 T6 in durable black matte finish