VECTOR OPTICS

Scrapper 1x25 Gen II Red Dot Sight SCRD-46



VECTOR OPTICS

Features

- 50,000+ Hours Battery Runtime: Extended usage with motion sensor for power efficiency.
- Parallax-Free Red Dot: Direct bulb design with no flicker for precise aiming.
- Wide Field of View: 7.4° angle for comprehensive target acquisition.
- Adjustable Windage & Elevation: Easy zeroing for improved targeting.
- Multiple Mounting Options: Includes low and riser Picatinny Weaver mounts for versatility.

VECTOR OPTICS Specifications

SCRD-46



- Eye Relief: Free
- Optics Coating: Multi-coated
- Parallax: <1MOA @ 100 yards
- Parallax Setting: 100 yards
- Elevation Range: >45MOA
- Windage Range: >45MOA
- Dot Size: 3MOA
- Dot Intensity: 8 levels + 2 NV levels
- Working Temperature: -20~+50°C
- Material: Aluminum alloy
- Battery Type: CR2032
- Runtime: >50,000 hour weakest visible dot
- Finish: Black matte
- Mounting: Weaver & picatinny
- For close-in work and all application tactics, hunting & sporting
- Motion sensor, 2 minutes auto shut-off, smart awake feature even when slightly moving
- IPX6 water proof (1 meter 30 minutes), shock proof to 800G 500 circles
- Weaver mount made of aluminum alloy 6061 T6 in durable black matte finish